

To: Ford, Nancy[Ford.Nancy@epa.gov]; Poole, Clarissa[Poole.Clarissa@epa.gov]
From: Hopkins, Ingrid
Sent: Fri 12/2/2016 5:08:53 PM
Subject: FW: NPDES CEI Reports
[2016NPDESDC0000248CEI.pdf](#)
[2016NPDESDC0000019CEI.pdf](#)

FYI, for ICIS entry. Thanks.

Ingrid H. Hopkins

NPDES Enforcement Branch (3WP42)

U.S. EPA, Region III

1650 Arch Street

Philadelphia, PA 19103

(215) 814-5437

From: Burnett, Robert (DOEE) [mailto:robert.burnett@dc.gov]
Sent: Thursday, December 01, 2016 3:03 PM
To: Hopkins, Ingrid <Hopkins.Ingrid@epa.gov>
Subject: NPDES CEI Reports

Hi Ingrid,

Attached are the 2016 reports for:

DC0000248 Kennedy Center, and

DC0000019 Washington Aqueduct

Please let me know if you have any questions/comments/or corrections.

Thank you,

Robert

Robert E. Burnett

Water Quality Division

Department of Energy & Environment

Government of the District of Columbia

1200 First Street, NE, 5th floor

Washington, DC 20002

Desk: (202) 535-1725

Cell: (202) 731-6191

Web: doee.dc.gov

Come to EdFEST, DC's citywide school fair, on Sat, Dec 10 from 11am to 3pm at DC Armory. Explore 200+ public school options for your child. Bring the whole family!